

ADHESIVES | POLYMER GROUTS |
POLYMER ADDITIVE | EPOXY GROUTS |
SPACERS | TILS CLEANER | TROWEL

Buildchemart Tiles and Stone Installing Solution ProviderBuildchemart is a leading solution provider for installing tiles and stone. With its comprehensive and comprehensive product portfolio, the company offers the perfect solution for a wide variety of projects - from flooring, to countertops, and more. At Buildchemart, customers can choose from a variety of products, ranging from Adhesive, Grout, Tiles Cleaner and Tiles Spacers. With these topquality and innovative products, clients can add a long-term investment value to their home, business, or project. Whether to install a new floor, upgrade a bathroom, or create artwork and accents, Buildchemart has the perfect product tailored to meet each customer's needs. Plus, the Adhesive, Grout, Tiles Cleaner and Tiles Spacers are available in a variety of colors, sizes, and styles to suit any décor. Buildchemart's products are specifically meant for patio, pool, shower, and outdoor use, giving the utmost satisfaction of the highest quality to its customers. From complete tile and stone packages to individual pieces and tools, Buildchemart has all the components necessary to complete any project. Moreover, Buildchemart is offering its special Stone Installer Solutions, which offers special discount packages to clients who prefer to install their tiles and stone on their own. The Solutions includes everything from tips and techniques, to complete sets and tools needed to install. Overall, with its commitment to top quality products and efficient services, Buildchemart is the perfect answer to any kind of need or requirement when it comes to installing tiles and stone. Through its pioneering products, the company has become a leader in the industry, catering to customers all around the world. Every product created by Buildchemart comes with a guarantee of quality and excellence. So customers can rest assured that they are choosing the best of the best when they choose Buildchemart.

RESEARCH & DEVELOPMENT

With the aid of intensive research and development out vast product range in continuously being optimized and expanded. Highly qualitified chemists and chemical engineers and continuously improving the quality of existing products and make them friendlier to the environment. New products and being developed to meet the requirement of the customers and are being tested in view of their durability in freeze-thae cycles and failure testes.



BCM 03 Tile Adhesive is an economical polymer modified bonding mortar with strong durable and reliable adhesion, excellent water and weather resistance, high construction efficiency. This product is suitable for indoor wall and ground installation of ordinary ceramic tiles, especially for large area installation of non-porcelain tiles whose water absorption is higher than 5%



BCM 06 Standard Modified Thin-Set Adhesive is an economical, polymer modified thin-set mortar for interior and exterior floor and wall applications of most types of ceramic tile, porcelain tile an stone over concrete and a variety of other substrates.

Uses

- · All types of ceramic tile, most of types of porcelain tile and stone
- · Walls and floors
- Interior and exterior

Features and Benefits

- Easy to use, just mix with water
- No VOC, green, environment friendly

Suitable Substrates

- Concrete
- Masonry
- Cement Mortar Beds
- Cement Backer Boards (see cement backer board manufacture's installation guidelines
- Gypsum wallboard (interior dry wall only)
- Exterior-grade plywood (interior use only)
- Properly Prepared Existing Ceramic/ Porcelain Tile and store

Approximate Coverage : 1.8kg/m2/mm

Packaging: 20kg/bag Color: Grey or White





BCM 09 Premium Adhesive is a professional grade, polymer modified thin-set mortar for interior and exterior floor and wall applications of all types of ceramic tile, most types of porcelain tile and stone over most traditional and speciality substrates.

Uses

- · All types of ceramic tile, most of types of porcelain tile and stone
- Walls and floors
 Interior and exterior
- · Most traditional and specialty substrates

Features and Benefits

- High performance, high bond Strength Easy to use, just mix with water
- No VOC, green, environment friendly


Suitable Substrates

- Concrete
- Masonry
- Cement Mortar Beds
- Cement Backer Boards (see cement backer board manufacture's installation guidelines
- Gypsum wallboard (interior dry wall only)
- Exterior-grade plywood (interior use only)
- Properly Prepared Existing Ceramic/ Porcelain Tile and store

Approximate Coverage: 1.8kg/m2/mm

Packaging: 20kg/bag Color: Grey or White





BCM-12 Epoxy Grout

Epoxy grout is a multi-component high performance epoxy group with color-coarted quartz, color consistency, stain resistance, easy maintenance, non-sag for wall and floors, durability, water-cleanable and easy to apply.

Uses

Ceramic tile, stone and mosaic

Exterior and interior

Walls and floors

Kitchens, bathrooms, showers, pools and others wet area applications.

Features and Benefits

High stain and chemical resistance

Color-coated quartz, color consistency and durability

Water-cleanable for ease of application

Non-sagging for walls and floors application

Mold-proof technology applied to stop mold and mildew

Easy to maintain, and cleanable to the original color

Low VOC, green and environment friendly

Approximate Coverage:

Grout usage (kg/m2)=[(a+b)*c*d*1.6]/(a*b)

- * a-leangth of the tile
- * b- width of the tile
- *c-thickenss of the tile
- *d-width of the joint

Actual coerage varies despending on job site consitions

Packaging:1kg/pail, 5kg/set Color: Refer to Grout Colours



Epoxy grout is a multi-component high performance epoxy group with color-coarted quartz, color consistency, stain resistance, easy maintenance, non-sag for wall and floors, durability, water-cleanable and easy to apply.

Uses

Ceramic tile, stone and mosaic

Exterior and interior

Walls and floors

Kitchens, bathrooms, showers, pools and others wet area applications.

Features and Benefits

High stain and chemical resistance

Color-coated quartz, color consistency and durability

Water-cleanable for ease of application

Non-sagging for walls and floors application

Mold-proof technology applied to stop mold and mildew

Easy to maintain, and cleanable to the original color

Low VOC, green and environment friendly

Approximate Coverage:

Grout usage (kg/m2)=[(a+b)*c*d*1.6]/(a*b)

- * a-leangth of the tile
- * b- width of the tile
- *c-thickenss of the tile
- *d-width of the joint

Actual coerage varies despending on job site consitions

Packaging:1kg/pail, 5kg/set Color: Refer to Grout Colours





BCM-24

Grout Additive is specially designed to the used with sanded and unsanded grout.

Uses

All types of tile, stone, brick Walls and floors Interior and exterior

Features and Benefits

Flexibility, compressive strength
Chemical resistance, reduces water absorption
Easy to clean-up and maintenance

Approximate Coverage: Varies by application

Packaging: 100,300,500ml



BCM-036

Polymer Group is a polymer modified tile grout that provided characteristics of color-fast, weather resistance, alkali resistance, anti, aging, and durability

Uses

Joint width from 1 to 5mm Most type of tiles, stone and mosaic Interior and exterior, walls and floors Dry and wet areas

Features and Benefits

Uniform color

Enhance the boding strength between substrate and tiles Easy to use, just mix with water

Easy to clean-up and maintenance

Approximate Coverage:

Grout usage (kg/m2)=[(a+b)*c*d*1.6]/(a*b)

- * a-leangth of the tile
- * b- width of the tile
- *c-thickenss of the tile
- *d-width of the joint

Actual covrage varies depending on job site conditions and labor skills

Packaging: 20kg/bag, 5kg/carton, 1kg/bag

Color: Refer to Grout Colors



Product Description:

BCM is a fast acting acid based cleaner for regular cleaning of dirt, dust and all type of stains on tiles, marbles and taps.

Pack Size Pack size: 500ml, 1 Litre Advantage: Ready to use Fast acting Ideal for interior & exterior areas



BCM-036

BCM Spacer are available in different sizes i.e. from 2mm uo to 6mm

Application

To apply between tile's to overcome inherent characteristics of tiles and to given beautiful look.

Pack size:

Pack Size: 100pc/pack

Advantage:

Single till can be replaced if broken

Given space for thermal expansion and contraction

Beautiful appearance.

Minimise visible deffects like color variation and size varriation

which are inherent characteristics of ceramic tiles.



Manufacture & Marketed by:

MIBIZ GLOBETRADE PVT. LTD.

C-22, RDC, Raj Nagar, Ghaziabad-201001 (U.P.) INDIA

CIN NO.: U15909UP2018PTC100742 Website: buildchemart.com E-mail: sales@buildchemart.com **Customer Care: 9717217009**

BuildChemart